



**PETRO FIDAR JAM** Co. Ltd.

IMPORT AND DISTRIBUTION OF EQUIPMENT FOR OIL, GAS, PETROCHEMICAL, POWER PLANT AND REFINERY INDUSTRIES

**Petro Fidar Jam Corporation**

**Oil, Gas, Petrochemical Industrial  
& Engineering Supplies**



**Tel: +98(21) 44020155, Fax: +98(21) 44020331**

**Mob: +989123039903 Aliakbari**

**P.O. BOX : 1471954119**

**Email: iman.alia@pfjgroup.co**



Tel : +98 (21) 44 02 01 55  
Fax : +98 (21) 44 02 03 31



www.pfjgroup.co  
pfj@pfjgroup.co



Address: Unit 29, 8th floor, Golha Building (No. 80), corner of 5th  
East Alley, Sattari Highway, Tehran, Iran - Postal Code: 1471954119



با سلام : بدینوسیله به استحضار میرساند که مجموعه مهندسی و بازرگانی پترو فیدار جم با بیش از یک دهه تجربه در راستای اجرای اهداف استراتژیک کشور در بخش صنعت و پتروشیمی به منظور اعمال صرفه جویی و کیفیت بالا با در نظر داشتن استانداردهای موجود و دستیابی به مرزهای جدید فن آوری مربوط و همچنین با بهره وری کارآمد اقدام به تامین کلیه تجهیزات صنایع نفت ، گاز ، پتروشیمی ، نیروگاه و کارخانه جات در پروژه های صنعتی با توان رقابتی بالا در زمینه واردات و تامین کالا آمادگی خود را جهت همکاری با شرکتهای و موسسات خصوصی و دولتی اعلام می دارد .

**شرح فعالیتها : انواع لوله ، شیر آلات ، اتصالات ، اتصالات کانتور ، فلنج ، پیچ و مهره ، ارتعاشات و ابزار دقیق و...**

**لوله ( درزدار ، مانیسمان ، ماهیچه ای ، درز مخفی ، اسپیرال ) PIPE ( ERW , SEMLESS , SAW , EFW , FBW )**

MATERIAL: CARBON STEEL, STAINLESS STEEL, ALLOY STEEL      فولاد ، استنلس استیل ، لوی استیل  
:A106, A53, A179, A200, A213, A249, A260, A312, A333, A335, A358, A409, A672, A691,

GRADE : F304, F316, 310, PSL1, PSL2, WPHY X42, X52, X56, X60, X65, X70, X80, API5L

DIN: 1615, 1626, 2391-2, 17173, 17172, 2917, 2441, 2440, 2393-2, 17456,

در استانداردهای:

SCH: 5 TO XXS      به ضخامت :

STRINER	شیر صافی
GATE VALVE	شیر کشویی
GLOBE VALVE	شیر سوزنی
TRAPE	تله بخار
BALL VALVE	شیر توپی
CHECK VALVE	شیر خودکار
BUTTERFLY VALVE	شیر پروانه ای
SAFETY VALVE	شیر اطمینان
PLUG VALVE	شیر چاقویی
NIDDEL VALVE	نیدل ولو
KNIFE VALVE	گونیونی

**انواع شیرآلات در آلیاژهای : فولاد ، استنلس استیل ، چدن ، برنز**

ASTM : A216, A217, A350, A351, A182, A105

GRADE: WCB, WCC, LCB, LCC, WC2, WC5, WC6, WC9, LF2,

F11, F22, F52, F6, F304, F316, F321, CF8, CF8M, CF3, CF3M

CLASS :

150#, 300#, 600#, 800#, 900#, 1500#, 2500#, 5000#, PN16, 40

**انواع اتصالات لب جوش ، دنده ای ، ساکت**

FITTING : BUT WELDED , THREAD , SOCKET WELDED

ELBOW, TEE, REDUCER, HALF COUPLING, FULL COUPLING, UNIUN, HEX NIPPLE, OUTLET SS

MATERIAL : CARBONSTEEL , STAINLESS STEEL , ALLOY STEEL

CLASS : 150#, 2000#, 3000#, 6000#, 9000#

SCH : 10S TO XXS





WELDED NIKE	فلنج گلودار
SOCKET WELDED	فلنج ساکت
NPT	فلنج دنده ای
BLIND	فلنج کور
SLIP-ON	فلنج اسلیپون
LAP JOINT	لب جوبنت
ORFICE	اورفیس
SPECTADE	فلنج عینکی
FLAT	فلنج تخت

انواع فلنج در آلیاژهای : کربن استیل ، استنلس استیل ، الوی استیل ، گالوانیزه

MATTERIYAL: CARBON STEEL , STAINLESS STEEL , ALLOY STEEL ,

PVC , CPVC , UPVC , PVDF , PP-H

ASME :B16.05,B16.47 DIN: 2630,2631,2632,2633,2634,2635,

ASTM : A105 , A181 , A182 , A350

GRADE : F11,F22,F304,F316,F304L,F316L,F321,F347,LF2,LF3

SPIRAL WOUND GASKET	SPG
RING JOINT GASKET	RJG
FLAT GASKET	ME
JACKETED GASKET	JG
KAMPROFILE GASKET	KG

واشر های آب بندی

در جنسهای : لاستیکی ، گرافیت ، ازبست ، استنلس استیل ، گالوانیزه ، تفلون  
RUBBER, GRAPHITE, ASBESTONS, CARBON STEEL, STAINLESS  
STEEL, GALVANIZED, TEFLON ASME و DIN مطابق با استاندارد

MALE CONNECTOR	MC
UNION CONNECTOR	U
TEE CONNECTOR	TU
ELBOW CONNECTOR	ME
FEMALE CONNECTOR	FC
UNION CROSS	CU
PLUGE,CAP,INSERT	T

TUBE STUBE CONNECTOR	
TUBE TO AN TUBE	AU-BAU
SPARE PARTS	NUT-FF-BF
PIPE FITTING	
BALL VALVE	BV
NEEDLE VALVE	NV
GAUGE VALVE&MANIFOLD	

اتصالات کنکتوری

انواع شیر های پنوماتیک ، آی توپی و پوزیشنر ، رگلاتور در برندهای FISHER , MASONEILAN , SAMSON

انواع پرشر ترنسسمیتر و DP ترنسسمیتر در برندهای ROSEMOUNT , ENDRESS-HAUSER , YOKOGAWA

- تامین و نندارکات کالا با توجه به شرایط درخواست در کمترین زمان و مناسبترین قیمت با کیفیت مطلوب .
- ارائه پیشنهادات ریالی و ارزی مختلف بر اساس نیازها و خواسته های کارفرما .
- در صورت نیاز به هر گونه اطلاعات و مشاوره از تماس با ما دریغ نفرمایید .

با سپاس فراوان  
علی اکبری



تلفن: 02144020155

فکس: 02144020331

همراه: 09123039903

ایمیل: pfj@pfjgroup.co



جمهوری اسلامی ایران  
وزارت نفت  
فهرست منابع وزارت نفت

ماهیت منابع	تاریخ بروزرسانی	توضیحات بروزرسانی	فایل EXCEL	فایل PDF
سازندگان داخلی	۱۰ آبان ماه ۱۳۹۹	بروز رسانی و افزودن منابع جدید	<a href="#">دانلود</a>	<a href="#">دانلود</a>

توضیحات:

با عنایت به اطلاع رسانی های متعدد جهت تهیه توکن و اقدام برای خوداظهاری و فراخوان های انجام شده از سال ۱۳۹۲ تا ۱۳۹۷ و تمدید مکرر آنها تا ۱۰ مرداد ۱۳۹۷ در سامانه EP، جراید رسمی و انجمن های صنفی به کلیه منابع موجود در کشور از جمله منابعی که در فهرست اولیه منابع واحد دستگاه مرکزی وزارت نفت جمع شده بودند (VL)، منابعی که نسبت به تکمیل پرسشنامه خوداظهاری و بازگذاری مدارک مورد نیاز برای ارزیابی صلاحیت ثبت و صدور نهائی کرده بودند مورد ارزیابی کمیته های فنی بازگانی دستگاه مرکزی قرار گرفته و براساس ابلاغیه رئیس محترم دستگاه مرکزی وزارت نفت، اسامی آن دسته از منابع که حداقل نصاب مورد تایید را کسب نموده اند در تاریخ ۹۷/۰۹/۰۱ ذیل فهرست بلند منابع ارزیابی صلاحیت شده دستگاه مرکزی درج گردید.

بخشنامه مورخ ۲۱ آذرماه ۹۵ وزیر محترم نفت به شماره ۲۰/۲-۴۳۷۰۵۷ کلیه شرکت های اصلی و تابعه وزارت نفت را موظف می سازد در تمامی سطوح معامله از فهرست منابع وزارت استفاده نمایند. در فهرست، گروه های کالای اصلی هر منبع درج شده است. برای آشنایی با گروه های اصلی کالا در کدینگ MESC اینجا را ببینید. ضمناً کاربران شرکت های تابعه عضو سامانه، نیازی به استفاده از این فایل های pdf ندارند و برای اطلاع از چگونگی کاربرد فهرست منابع وزارت نفت می توانند اینجا را ببینند.

\*توجه\*

۱- خوداظهاری یک منبع عبارت است از ثبت نهائی حداقل یک پرسشنامه توسط آن منبع و وارد کردن محصول در بخش فهرست محصولات

۲- برای جستجوی وضعیت منابع در فهرست، از باکس جستجو در انتهای صفحه استفاده نمایید.

نتایج جستجو مانند مثال زیر است:

نتیجه جستجو در وندور لیست وزارت:

ردیف	ایران کد	شناسه ملی	عنوان شرکت	عنوان انگلیسی	نوع فعالیت	تلفن	آدرس
۱							

نتیجه جستجو در لیست وندورهایی که در سامانه خوداظهاری نموده اند:

ردیف	ایران کد	شناسه ملی	عنوان شرکت	عنوان انگلیسی	نوع فعالیت	تلفن	آدرس
۱							

اگر خوداظهاری به پایان رسیده باشد، پیگیری وضعیت ارزیابی پرونده از طریق منو، در داخل **کارتابل** منابع (گزینه وضعیت ارزیابی صلاحیت) و یا تماس با شماره های پشتیبانی وزارت نفت (مندر ج در صفحه نخست) امکان پذیر است.



جستجوی یک منبع در فهرست منابع وزارت نفت  
تاریخ بروزرسانی اطلاعات: ۱۰ آبان ماه ۱۳۹۹

شناسه ملی یا ایران کد:

جستجو محدود شود به:  ایران کد  شناسه ملی

نتیجه جستجو در لیست وندورهایی که در سامانه ثبت نام (یا خوداظهاری) نموده اند:

ردیف	ایران کد	شناسه ملی	عنوان شرکت	عنوان انگلیسی	نوع فعالیت	تلفن	آدرس
۱	۱۰۶۲۷	۱۴۰۰۵۷۲۸۶۲۴	پترو فیدار جم	PETRO FIDAR JAM	پرسشنامه اطلاعات تامین کنندگان	۰۲۱۴۴۰۲۰۱۵۵	تهران بزرگراه ستاری جنوب بعد از پیامبر غربی نبش کوچه پنجم شرقی پلاک ۸۰ طبقه ۸ واحد ۲۹

اگر در این لیست حضور ندارید برای اطلاع از نحوه ثبت نام راهنمای تامین کنندگان را مطالعه کنید.

# GQS

# CERTIFICATE

German Association for Quality and Management Systems  
hereby certifies that the company

**Petro Fidar Jam Co.**



Unit 29, Eighth Floor, No.80, Fifth East Alley, After West Payambar, Sattari South Highway,  
Tehran, Iran.

for the scope

Supply of Oil, Gas and Petrochemical Equipment.

has implemented and maintains a

**Quality Management System.**


An audit, documented in a report, has verified that this quality management system  
fulfills the requirements of the following standard:

## DIN EN ISO 9001:2015

This certificate is valid from 2020-10-19 until 2021-10-19  
Certificate Registration No.: QMS7100250



  
Frank Augenstein  
(Managing Director)

  
Andreas Diem  
(Certificate authority)













## INTRODUCTION

**PETRO FIDAR Industrial & Engineering Supplies** is specialized in the supply of piping materials to the Oil & Gas, Petrochemical, Energy and Water Industry. Incepted in 2014 and provides distinctive supply services to companies around the IRAN.

**PETRO FIDAR** serves to companies of all sizes, ranging from the national oil companies and multinationals to small independents. Through over seventeen years of adherence to a strict code of ethics, we have established a cooperative network of sources throughout piping materials manufacturing companies of all sizes around the world.

For our customers, we offer reliable and cost effective supply chain business solutions and for our supply partners, we are effective and transparent channel to the market.





## SD & TRENGTH DISTINCTION

**PETRO FIDAR** is dedicated to furthering the effective use of its extensive knowledge in the oil and gas, petrochemical, water and power and marine and construction industry. **PETRO FIDAR** specializes in supplying piping materials from the farthest upstream to the near downstream, pipelines, facilities.

With the global purchasing power, long standing mill and manufacturing relationships and extensive product & technical knowledge, we are able to provide accurate deliveries and technically compliant piping materials. Most of our supplies are custom-tailored or to match our client companies unique needs. Quite simply, we can supply piping materials in any grade of steel as per industry requirements, project schedules, diverse application or any specialized demands.





## EXPERIENCE WORKING

**PETRO FIDAR** team has extensive experience & practical knowledge which combined makes decade of quality experience in understanding the project requirements.

Our engineers are well qualified to analyze the technical & commercial needs and accordingly propose most suited solution in terms of cost and delivery.

Being a requirement for project, emergency shutdown or day-to-day requirements, our teams offer compatible solution and delivery needs suiting to the customer requirements.





## **OIL & GAS**

**PETRO FIDAR** has been acquainted with the specific requirement of the Oil & Gas Industry having intensive interaction with the refineries and gas plants for many years. Whether it is a requirement for the bulk supply to projects, emergency shut down or day to day maintenance, we are able to provide complete piping solutions to all the customers in Oil & Gas industry.



## **OFFSHORE**

**PETRO FIDAR** is well aware of the requirements to the Offshore Industry. Our supplies to this industry includes pipes, fittings, forgings in grades X52, X60 up to X80. We have supplied piping materials in grades line Duplex & Super Duplex to many offshore fabricators



## **PETROCHEMICAL**

**PETRO FIDAR** has full capability in supplying through various delivery programs which are based on the requirements of the Petrochemical Industries. Through stocks of more than 5,000 tones available from our business partners in Carbon & Low Temperature Steel, Cr-Mo Alloys, Stainless Steel in all grades and Nickel Alloys





## POWER

With the growing power generation industry in the Iran, the requirements have grown multiple times through the years.

Petro Fidar has special relationship with major stockiest & manufacturing mills worldwide for the requirement of piping materials either stock or mill deliveries in all Cr-Mo steel grades like A335 P1, P11, P22, P5 and P9.

## CONSTRUCTION

Profile structures including tower blocks, airports and ports being constructed in large scale. To meet the demand of this specific industry, we have agreements with many stockiest & manufacturing mills to supply high strength large diameter & thick wall pipes.





## ***PURCHASE OFFERS***

A Wide range of services from providing and sending prompt offers upon receiving inquiries to sending packages such as on time delivering packing lists original certificates and customers supports.

## ***SPECIAL OFFER FOR VIP CUSTOMERS***


**PETRO FIDAR** provides full service for VIP customers such as: determination a credit line for longtime working, minimum margin in compare of other customers, being priority in sending shortages and assigning special people for technical and commercial assists.

## ***GENERAL SERVICES***

During the normal supply of piping materials, Petro Fidar provides various special services including Hot Dip Galvanizing, Machining, Cutting, Beveling, Threading of Piping Components as well as Minor Fabrication.

## ***SUPPLY OF BENDS***

PETRO FIDAR supplies bends for pig gable pipeline in Carbon Steel, Stainless Steel and Alloy Steel, etc., with large Radii for smooth flow of fluids, less field welding, less x-ray inspection at site, fewer connections and lesser weld joints. Size ranges from 3" to 42" in various wall thickness, radii and angles in specification API5L, ANSI, ASME B31.4, B31.8, MSS SP 44, 75 & 83.





## PIPES - Seamless, ERW, EFW, DSAW and Forged

Sizes: 1/8" NB - 80" NB

Wall Thickness available:

Schedule 5s - Schedule XXS (heavier on request)

### Material Grades

<b>Alloy Steel</b>	A335 P1, P5, P9, P11, P12, P22, P91
<b>Aluminium</b>	5083, 5154, 5251, 6061, 6063, 6082
<b>Carbon Steel</b>	A106Gr.B/C, API 5L Gr.B
<b>Duplex &amp; Super Duplex</b>	UNS S31254, UNS S31803, UNS S32750 & S32760
<b>High Alloys</b>	ALLOY 20, ALLOY C, ALLOY C276, ALLOY B2
<b>High Yield</b>	API 5L X42, X52, X60, X65, X70
<b>Low Temperature</b>	A333Gr.3/6
<b>Nickel Alloys</b>	200, 400, K500, 600, 625, 800, 825
<b>Stainless Steel</b>	A312 304/L, 310, 316/L, 316Ti, 321/H, 347/H, 410, 440, 904L

## FLANGES - Blind, Lap Joint, Orifice, Slip On, Socket Weld, Spectacle Blind, Threaded and Weld Neck

Sizes: 1/4" - 80"

Wall Thickness available:

Schedule 5s - Schedule XXS (heavier on request)

### Dimensions/Pressure Ratings:

<b>ANSI, MSS-SP-44, BS3293, API 605</b>	150lb - 2500lb
<b>BS10</b>	Table D, E, F & H
<b>BS4504</b>	PN6, 10, 16, 25 & 64
<b>DIN</b>	Standard
<b>JIS</b>	Standard

### Flange Facings available:

Flat Face, Raised Face, Ring Type Joint and Tongue & Groove

Also non-standard requirements, according to customer drawings

### MATERIAL GRADES

<b>Alloy Steel</b>	A182 F1, F5, F9, F11, F12, F22, F91
<b>Aluminium</b>	5083, 5154, 5251, 6061, 6063, 6082
<b>Carbon Steel</b>	A105, C22.8
<b>Duplex &amp; Super Duplex</b>	A182 F51, F44, UNS S32750 & S32760
<b>High Alloys</b>	ALLOY 20, ALLOY C, ALLOY C276, ALLOY B2
<b>High Yield</b>	A694 F42, F52, F60, F65, F70
<b>Low Temperature Steel</b>	A350 LF2, LF3, LF6
<b>Nickel Alloys</b>	200, 400, K500, 600, 625, 800, 825
<b>Stainless Steel</b>	A182 F304/L, F310, F316/L, F316Ti, F321/H, F347/H, F410, F440, 904L





## BUTTWELD FITTINGS - Caps, Crosses, Elbows, Concentric/Eccentric Reducers, Stub-Ends, Tees Seamless - DSAW, EFW, ERW, and Forged

Sizes: ¼" - 80"

Wall Thickness available:

Schedule 5s - Schedule XXS (heavier on request)

Dimensions: ANSI, ASME, BS 1640, B16.9, B16.25, B16.28

### Material Grades

<b>Alloy Steel</b>	A234 WP1, WP5, WP9, WP11, WP12, WP22, WP91
<b>Aluminium</b>	5083, 5154, 5251, 6061, 6063, 6082
<b>Carbon Steel</b>	A234 WPB, WPC
<b>Duplex &amp; Super Duplex</b>	A815 UNS31803, UNS31254, UNS S32750 & S32760
<b>High Alloys</b>	ALLOY 20, ALLOY C, ALLOY C276, ALLOY B2
<b>High Yield</b>	WPHY42, 52, 60, 65, 70
<b>Low Temperature Steel</b>	A420 WPL3, WPL6
<b>Nickel Alloys</b>	200, 400, K500, 600, 625, 800, 825
<b>Stainless Steel</b>	A403 304/L, 310, 316/L, 316Ti, 321/H, 347/H, 410, 440, 904L

## FASTENERS GASKETS & STUDBOLTS – Threaded, Unthreaded

Sizes: 1/8" – 12", in all lengths required

### BOLTS:

Hexagon, Indented Foundation, Mushroom Head, Square Head, Studbolts, Studs, Washer Faced, 12 Point

A full range of thread locking options is available.

### SCREWS:

Cheese Head, Countersunk, Grub Screws, Machine Screws, Pan Head, Setscrews, Slotted Roundhead, Socket Button Head, Socket Countersunk, Socket Head Capscrews, Socket Shoulder, Square Head.

A full range of thread locking options is available

### NUTS:

Cap, Castellated, Dished, Dome, Full, Half, Keyed, Lock, Self Locking, Ring, Round, Spring, Standard Forms, Tab, Tapered, Washer Faced, 12 Point

Also non-standard requirements, according to customer drawings

### MATERIAL GRADES

A193 B5, B6, B7, B16, L7, L43, B8, B8M, B8T, B8TX, B8C, A453 GR660, UNS 31803, UNS 32750, UNS 32760

### GASKETS:

Sizes: ¼" – 80"

Metallic Heat Exchanger, Ring Joint, Spiral Wound  
Non-Metallic Compressed, Graphite, Rubber, Teflon

Also non-standard requirements, according to customer drawings

### EXPANSION JOINTS:

Flue Duct, Metal Expansion Joints, Rubber Expansion Joints

Also non-standard requirements, According to customer drawings

### VALVES - Ball, Butterfly, Check, Gate, Globe





Sizes: 1/2" – 80"

Pressure rating: 150lb – 2500lb End connections:

Butt Weld, Flanged RF & RTJ, Lug Type, Screwed, Socket Weld, Socket Weld/Screwed.

## MATERIAL GRADES

A182 F5	A182 F9
A182 F11	A182 F22
A182 F304(L)	A182 F316(L)
A182 F321	A182 F347
A216 WCB	A217 C5
A217 WC6	A217 WC9
A351 CF3	A351 CF3M
A351 CF8	A351 CF8C
A351 CF8M	A351 CG8M
A351 CK20	A351 C7M
A351 CN7M	A351 CTI 5C
A352 C12	A352 LCB
A352 LCC	A494 CW12MW
A494 M35-1	A494 N-12MV
A494 CZ100	A744 CD4 MCu
A744 CG3M	A890 Gr.4A
A890 Gr.5A	A890 Gr.6A
B462 NO8020	B752 702C
B752 705C	

## SCREWED & SOCKETWELD - Bushes, Caps, Couplings, Crosses, Elbows, Nipples, Plugs, Swages, Tees, Unions.

Sizes: 1/8" - 6"

Dimensions/Pressure Ratings:

ANSI B16.11 and BS3799, from 3000lb - 9000lb, from Schedule 10s - XXS (heavier on request)

### Branch Outlets

Sizes: 1/4" - 24"

Dimensions/Pressure Ratings:

Schedule 10s - Schedule XXS (heavier on request)

Also non-standard requirements, according to customer drawings

## MATERIAL GRADES

<b>Alloy Steel</b>	A182 F1, F5, F9, F11, F12, F22, F91
<b>Aluminium</b>	5083, 5154, 5251, 6061, 6063, 6082
<b>Carbon Steel</b>	A105
<b>Duplex &amp; Super Duplex</b>	A182 F51, F44, UNS S32750 & S32760
<b>High Alloys</b>	ALLOY 20, ALLOY C, ALLOY C276, ALLOY B2
<b>High Yield</b>	A694 F42, F52, F60, F65, F70
<b>Low Temperature Steel</b>	A350 LF2, LF3, LF6
<b>Nickel Alloys</b>	200, 400, K500, 600, 625, 800, 825
<b>Stainless Steel</b>	A182 F304/L, F310, F316/L, F316Ti, F321/H, F347/H, F410, F440, 904L





# PETRO FIDAR JAM Co. Ltd.

IMPORT AND DISTRIBUTION OF EQUIPMENT FOR OIL, GAS, PETROCHEMICAL, POWER PLANT AND REFINERY INDUSTRIES

**Address:** Unit 29, 8th floor, No 80 (Golha Building),  
corner of 5th East Alley, Sattari Highway,  
Tehran, Iran

**Tel:** +98(21) 44020155, **Fax:** +98(21) 44020331

**Mob:** +989123039903 Aliakbari

**P.O.BOX :** 1471954119

**Email:** iman.alia@pfjgroup.co

